


PRODUCT CATALOGUE

**POOL & SPA
EQUIPMENT**

**POOL & SPA
CHEMICALS**





WE ARE NZ'S LEADING SUPPLIER IN THE INDUSTRY OF POOL AND SPA CHEMICALS, EQUIPMENT & TECHNOLOGIES.

We specialise in the manufacturing, importing and distribution of quality, value added pool and spa chemicals and equipment. With over 40 years of experience in the industry, we have created reputable brands and products found in pool and spa shops and larger FMCG stores nationwide. We are proud to be New Zealand's leading supplier in the industry.



Industry Experts

Over 40 years of experience in chemical manufacturing and distribution. We are the best at what we do.



Reputable Brands

We distribute only the most reputable brands in the pool and spa industry, from chemicals to equipment.



Service and Support

Customer satisfaction is at the heart of what we do. We see every customer as a key partner.

CONTACT US

North Island

Viviane Walker 021 811 992
viviane.walker@spaceindustries.co.nz

Gary Mcleod 027 473 4486
gary.mcleod@spaceindustries.co.nz

Peter Kruse 027 478 8060
peter.kruse@spaceindustries.co.nz

South Island

Warren Jones 027 464 9110
warren.jones@spaceindustries.co.nz

Customer Service

Dianne Eldialde
reception@spaceindustries.co.nz

Head Office

160 Plunket Ave, Manukau
Auckland 2104
09 262 3902
www.spaceindustries.co.nz



Space Industries is a proud subsidiary of
TCL Hunt and is a member of the
Ravago Group



INDEX

TABLE OF CONTENTS



02

**POOL & SPA
EQUIPMENT**

03

**ROBOTIC POOL
CLEANERS**

05

**POOL & SPA
HEAT PUMPS**

10

**POOL & SPA
PUMPS**

20

**SAND FILTERS &
COMBO KITS**

24

**POOL VACUUM
CLEANERS**

27

CONSUMABLES

33

**POOL & SPA
CHEMICALS**

24

**BALANCE
CHEMICALS**

37

**ALGAECIDE
CHEMICALS**

40

**SANITISER
CHEMICALS**

46

**SPECIALTY
PRODUCTS**

53

**WATER TESTING
SOLUTIONS**



POOL AND SPA EQUIPMENT



ROBOTIC POOL CLEANERS





BWT COSMY BOT ROBOTIC POOL CLEANER AVAILABLE IN

MODEL	PRODUCT CODE
100	BWTC100
150	BWTC150
250	BWTC250

PRODUCT OVERVIEW

- Lightweight and compact design—only 5.7KG.
- 15m³/h suction flow and 3 motors in 1 for a powerful cleaning experience.
- COSMY 100 cleans pool floors, COSMY 150–250 cleans floors, wall and waterline.
- COSMY 250 is compatible with the BWT app for full control via smartphone.
Customisable with 7 available colour sets and 1 extra colour set comes with purchase.

TECHNICAL PARAMETERS



SPECIFICATIONS

	BOT 100	BOT 150	BOT 200	BOT 250
Weight	5.7kg	5.7kg	5.7kg	5.7kg
Power supply	< 29 Volt	< 29 Volt	< 29 Volt + App	< 29 Volt + App
Power consumption	< 150 Watt	< 150 Watt	< 150 Watt	< 150 Watt

EQUIPMENT


	BOT 100	BOT 150	BOT 200	BOT 250
Filter type	Single layer filtration	Single layer filtration	Dual layer filtration	Dual layer filtration
Filter access	Top access Full filter indicator			
Brush type	PVC brushes	PVC brushes	PVC brushes	PVC brushes
Cable Length	12m	16m	16m	18m

CLEANING

	BOT 100	BOT 150	BOT 200	BOT 250
Pool size	Up to 8m	Up to 10m	Up to 12m	Up to 12m
Pool shape	All shapes & finishes			
Cleaning type	Floor	Floor, walls & water line	Floor, walls & water line	Floor, walls & water line
Cleaning cycle durat	1.5 hours	2 hours	1.5, 2 or 2.5 hours	1.5, 2 or 2.5 hours
Smart phone APP	No	No	Yes	Yes
Storage accessory	Optional	Optional	Optional	Premium caddy
Navigation technology	Smart navigation Gyroscope Beach entry detection			

7 COLOUR SETS AVAILABLE





POOL HEAT PUMPS

BWT HPF PEARL INVERTER POOL HEAT PUMP

AVAILABLE IN



KW	PRODUCT CODE
9KW	BWTHPF09
13KW	BWTHPF13
16KW	BWTHPF16
20KW	BWTHPF20
24KW	BWTHPF24
28KW	BWTHPF28

PRODUCT OVERVIEW

The most intuitive, intelligent and efficient pool heat pump on the market.

- Simple and intuitive operation and optimal performance.
- Built in connection with BWT Pearl Connect app (available on App Store / Play Store) for smart phone management and control.
- Low noise levels.
- Energy efficient in 3 operating modes; max, eco, silent.

Comprehensive Warranty

3 year initial product warranty + 2 years if the product is registered to PolyConnect.
See terms and conditions for further information.

TECHNICAL PARAMETERS

Models	BWT PEARL HPF09	BWT PEARL HPF13	BWT PEARL HPF16	BWT PEARL HPF20	BWT PEARL HPF24	BWT PEARL HPF28
Pool Size Guide (m3)	30-45	55-70	70-85	85-105	105-130	130-160
Air 28°C/Water 28°C/Humidity 80%						
Capacity in MAX Mode (kW)	9.3	13.1	16.1	20.4	24.2	27.8
COP MAX Mode	6.5-5.5	5.6	5.1	5.2	5.4	5.2
Capacity in ECO Mode (kW)	8.8-3.5	13.1-4.2	16.1-5.5	20.4-6.5	24.2-7.8	27.8-10.5
COP ECO Mode	10.8-5.5	11.2-5.6	10.8-5.1	10.1-5.2	10.8-5.4	10.1-5.2
Capacity in SILENT Mode (kW)	5.8-3.5	4.2	5.5	6.5	7.8	10.5
COP SILENT Mode	10.8-8.3	11.2	10.8	10.1	10.8	10.1
Air 15°C/Water 26°C/Humidity 70%						
Capacity in MAX Mode (kW)	6.6	9.8	11.5	14.8	18.2	22.8
COP MAX Mode	5.3	4.7	4.4	4.5	4.4	4.2
Capacity in ECO Mode (kW)	6.6-3.2	9.8-3.7	11.5-4.2	14.8-4.9	18.2-6.8	22.8-8.1
COP ECO Mode	6.7-5.6	7.0-4.7	6.7-4.4	6.6-4.5	6.7-4.4	6.5-4.2
Capacity in SILENT Mode (kW)	3.8-3.2	3.7	4.2	4.9	6.8	8.1
COP SILENT Mode	6.7-5.6	7	6.7	6.6	6.7	6.5
Noise levels dB(a) (min-max)	21-25	23-28	25-30	25-30	26-31	26-32



BWT HPT PEARL INVERTER POOL HEAT PUMP

AVAILABLE IN

<i>KW</i>	<i>PRODUCT CODE</i>
9KW	BWTHPT09
15KW	BWTHPT15
20KW	BWTHPT20

PRODUCT OVERVIEW

The most intuitive, intelligent and efficient pool heat pump on the market.

- Simple and intuitive operation and optimal performance.
- Built in connection with BWT Pearl Connect app (available on App Store / Play Store) for smart phone management and control.
- Low noise levels.
- Energy efficient in 3 operating modes; max, eco, silent.

Comprehensive Warranty

3 year initial product warranty + 2 years if the product is registered to PolyConnect.
See terms and conditions for further information.

TECHNICAL PARAMETERS

Models	BWT PEARL HPT09	BWT PEARL HPT15	BWT PEARL HPT20
Pool Size Guide (m3)	30-45	55-70	85-105
Air 28°C/Water 28°C/Humidity 80%			
Capacity in MAX Mode (kW)	9.5	15.3	20.1
COP MAX Mode	6.3	6.3	6.1
Capacity in ECO Mode (kW)	9.5-3.2	15.3-3.9	20.1-5.5
COP ECO Mode	10.8-6.3	10.8-6.3	10.8-6.1
Capacity in SILENT Mode (kW)	3.2	3.9	5.5
COP SILENT Mode	10.8	10.8	10.8
Air 15°C/Water 26°C/Humidity 70%			
Capacity in MAX Mode (kW)	6.9	11	14.5
COP MAX Mode	4.7	4.7	4.5
Capacity in ECO Mode (kW)	6.9-3.5	11.0-5.0	14.5-7.0
COP ECO Mode	6.6-4.7	7.7-4.7	7.9-4.5
Capacity in SILENT Mode (kW)	3.5	5	7
COP SILENT Mode	6.4	6.5	6.6
Noise levels dB(a) (min-max)	19-28	21-30	23-32



BWT STEPIO SPA HEAT PUMP 6.5 KW

PRODUCT CODE
BWTHPSTEP

PRODUCT OVERVIEW

The Stepio Spa Heat Pump by BWT features discrete and compact design made to fit underneath the steps of a spa pool. This unit ensures consistent heating of the spa pool at 38 degrees. Energy efficient with full inverter technology, low noise levels as it automatically adjusts the rotation speed of the compressor and fan to reduce noise to the minimum, simple, intuitive and completely automated via the BWT Connect App on your smartphone.

Comprehensive Warranty

3 year initial product warranty + 2 years if the product is registered to PolyConnect.
 See terms and conditions for further information.

TECHNICAL PARAMETERS

BWT STEPIO SPA	
Air 28°C/Water 38°C/Humidity 80%	
Energy Output (kW)	6.5
COP	4.6
Air 15°C/Water 38°C/Humidity 70%	
Energy Output (kW)	4.4
COP	3.4
Air 15°C/Water 26°C/Humidity 0%	
Energy Output (kW)	5.2
COP	4.6
Air -10°C/Water 38°C/Humidity 0%	
Energy Output (kW)	1.1
COP	0.9
Noise level 10m dB(a)	29
Temp. working range	-10°C up to 38°C
Compressor	2D Full DC Inverter
Expansion valve	Electronic
Exchanger	Coiled Titanium
Housing	UV resistant ABS housing panels
Refrigerant	R32
Hydraulic connection	50mm
Power	230V
Max. intensity	6.2A
Min. water flow	3 m ³ /h
Dimensions mm (lxwxh)	750x375x490
Weight kg (net)	47





BWT CRYO INVERTER HEAT PUMP 4KW

**PRODUCT
CODE
BwthPCRYO**

PRODUCT OVERVIEW

The Cryo Inverter is specifically designed to cool down water to 5 degrees Celsius for cryotherapy applications and cold water therapy purposes. Thanks to the Full-Inverter technology, the CRYO PAC adjusts its operation according to the pool requirements, giving peace of mind, extension of the equipment's lifespan and 30% energy savings compared to a standard heat pump. Conventional installation, like a standard pool heat pump.

Comprehensive Warranty

3 year initial product warranty + 2 years if the product is registered to PolyConnect.
See terms and conditions for further information.

TECHNICAL PARAMETERS

BWT CRYO INVERTER	
Air32°C/Water 5°C	
Energy Output (kW)	4
Energy Input (kW)	1
Energy Efficient Ratio	2.65
Noise levels db(A)	28-32
Temp. working range	-10°C up to 35°C
Components	
Compressor	Inverter
Refrigerant	R32
Installation	
Hydraulic connection	50mm
Power	230V
Max. intensity	6.3A
Min. water flow	4 m ³ /h
Dimensions mm (lxwxh)	936x322x567
Weight kg (net)	33



AQUAGEM

POOL & SPA PUMPS



THE WORLD'S FIRST FULL INVERTER POOL PUMP.



- World's most **silent pool pump**
- **FULL INVERTER** technology
- **Intuitive touch screen** controller
- **Energy efficiency** ensures it pays for itself



Full Inverter technology



Volute hydraulic system



DC brushless motor

Comprehensive warranty

Parts - 3 years parts and labour plus additional 2 years on parts only.
See terms and conditions for further information.

INTRODUCING THE AQUAGEM INVERPRO

Combining full inverter technology, volute hydraulic system and DC brushless motor. It intelligently runs at 30-100% capacity for various applications like filtration and backwash. Additionally, it reduces sound levels over 30 times and saves energy up to 15 times compared to a regular pool pump.

AQUAGEM[®]





AQUAGEM INVERPRO FULL INVERTER POOL PUMP

AVAILABLE IN

HP	PRODUCT CODE
1 HP	QGVPIP20
1.5 HP	QGVPIP25
2 HP	QGVPIP30

PRODUCT OVERVIEW

- Full Inverter by InverSilence® Tech
 - Up to 15x more energy efficient *
 - Up to 30x more silent *
 - Power Consumption Reading
 - Intelligent Full Touch Controller
- *comparison is based on traditional pool pumps



PERFORMANCE CURVE

FULL TOUCH SCREEN CONTROLLER



AI/MI mode optional

Auto Inverter mode:

After setting the water flow, the pump could automatically detect the system pressure and adjust the running capacity.

Manual Inverter mode:

The running capacity can be set manually.



Power consumption reading



Flow reading



Wi-Fi / Bluetooth Control

TECHNICAL PARAMETERS

Model	Advised pool volume (m³)	P1 (kW)	Voltage (V/Hz)	Current (A)	Qmax (m³/h)	Hmax (m)	Circulation Flow (m³/h) (Max)	
							10m	8m
IP20	30-50	0.80	220-240 / 50 / 60	3.7	24.8	18.0	15.3	19.4
IP25	40-70	1.05		5.3	27.0	20.0	21.0	24.5
IP30	50-80	1.40		6.5	29.5	21.0	26.5	29.5



PRODUCT OVERVIEW

The Bravo Single Speed Pool Pump is designed with features specifically tailored for both fresh and salt pools. It includes a stainless steel shaft and glass filled poly-propylene construction with high UV protection for strength and durability. The carbon ceramic mechanical seal ensures reliable performance. The pump is equipped with top-quality bearings sourced from TPI-Taiwan and features a large leaf basket with a clear view lid for easy maintenance. It comes with 40mm and 50mm fitting unions, a 1.5m suction end on high speed, and a ready-to-go plug with a 3m flex. The built-in overload thermal protector, made in the USA, enhances safety. With IP55 water ingress protection and compliance with AS/NZS60335.1 & AS/NZS60335.2.41 standards, this pump is built to last. Operating at a single phase of 240V/50Hz and suitable for temperatures below 35°C for water and 50°C for the ambient environment.


Comprehensive warranty

3-year domestic warranty (including a 2-year Mechanical Seal warranty and 1-year commercial warranty).
See terms and conditions for further information.

BRAVO SINGLE SPEED POOL PUMP AVAILABLE IN

HP	PRODUCT CODE
0.75 HP	BBPB07
1 HP	BBPB10
1.5 HP	BBPB15
2 HP	BBPB20
2.5 HP	BBPB25

PERFORMANCE CURVE



TECHNICAL PARAMETERS

model code	max Head (m)	max Lpm	input kW	output kW	output HP	amps	size LxWxH	weight (kg)
BBPB07	14.5	340	0.75	0.55	0.75	3.8	593x240x320	13.5
BBPB10	17.0	420	1.10	0.75	1	5.2	593x240x320	15.5
BBPB15	19.0	465	1.50	1.1	1.5	7	593x240x320	17.5
BBPB20	21.0	480	1.85	1.5	2	8.8	593x240x320	18.5
BBPB25	23.0	540	2.20	1.85	2.5	10	609x240x320	20



LIGHT DUTY POOL PUMPS AVAILABLE IN

<i>HP</i>	<i>PRODUCT CODE</i>
0.25HP	BBPH0.25
0.33HP	BBPH0.33
0.7HP	BBPH07
1.0 HP	BBPH10

PRODUCT OVERVIEW

- Medium duty, entry level pool pump
- Quiet operation
- Inner and outer thread design
- Liquid temperature <60°C
- IPX5
- Anodised motor body
- Overload protection
- Huge pro-filter for less cleaning maintenance
- Heightened pump base to keep out of water or moist environment

Comprehensive warranty

3-year domestic warranty (including a 2-year Mechanical Seal warranty and 1-year commercial warranty).
See terms and conditions for further information.





DELTA DUAL SPEED SPA PUMP 0.3/2.0 HP

**PRODUCT
CODE
BBSD0320**

PRODUCT OVERVIEW

The Delta Dual Speed Spa Pump features a nickel-plated #45 steel shaft for added durability. Its glass-filled poly-propylene construction provides exceptional strength and high UV protection.

The pump is equipped with a reliable carbon ceramic mechanical seal and top-quality bearings sourced from TPI-Taiwan. With 50mm fitting unions, installation is a breeze. The built-in overload thermal protector, made in the USA, ensures safety and peace of mind. Meeting IP55 water ingress standards, this pump is designed for durability and longevity. Operating at a single phase of 240V/50Hz, it can handle water temperatures below 40°C and ambient temperatures below 50°C.


Compliance with AS/NZS60335.1 & AS/NZS60335.2.41 standards guarantees its quality and performance.

Comprehensive warranty

1-year domestic warranty, (including a 6-month Mechanical Seal warranty and commercial warranty).

See terms and conditions for further information.

PERFORMANCE CURVE



TECHNICAL PARAMETERS

max Head (m)	max Lpm	input kW	output kW	output HP	amps	size LxWxH	weight (kg)
16.0	670	0.4/1.85	0.26/1.5	0.3/2.0	9	434x202x197	17



PRODUCT OVERVIEW

The Echo Single Speed Spa Pump featuring a nickel-plated #45 steel shaft for exceptional durability. Its glass-filled polypropylene construction ensures strength and high UV protection.

Equipped with a reliable carbon ceramic mechanical seal and top-quality bearings sourced from TPI-Taiwan, this pump delivers reliable performance. With 50mm fitting unions, installation is quick and easy. The built-in overload thermal protector, made in the USA, offers added safety. Meeting IP55 water ingress standards, this pump is built to withstand various conditions. Operating at a single phase of 240V/50Hz, it maintains optimal performance in water temperatures below 40°C and ambient temperatures below 50°C.

Compliant with AS/NZS60335.1 & AS/NZS60335.2.41 standards, this pump ensures quality and reliability.

Comprehensive warranty


1-year domestic warranty, (including a 6-month Mechanical Seal warranty and commercial warranty).
See terms and conditions for further information.

ECHO SINGLE SPEED SPA PUMP

AVAILABLE IN

HP	PRODUCT CODE
1.1 HP	BBSE11
1.5 HP	BBSE15
2 HP	BBSE20
2.5 HP	BBSE25

PERFORMANCE CURVES



TECHNICAL PARAMETERS

model code	max Head (m)	max Lpm	input kW	output kW	output HP	amps	size LxWxH	weight (kg)
BBSE11	12.0	520	1.10	0.75	1	5.8	382x202x218	12
BBSE15	13	535	1.5	1.1	1.5	7.0	382x202x218	12.7
BBSE20	15.5	600	1.85	1.5	2.0	8.0	382x202x218	14.6
BBSE25	17	635	2.2	1.85	2.5	10.0	397x202x218	16.3



FOX SINGLE SPEED SPA PUMP

AVAILABLE IN

HP	PRODUCT CODE
0.25 HP	BBSF02
0.35 HP	BBSF03
0.5 HP	BBSF05
1 HP	BBSF10

PRODUCT OVERVIEW

Discover the Fox Spa Pump with durability and performance in mind. It features a nickel-plated #45 steel shaft for exceptional strength. The glass-filled poly-propylene construction offers superior UV protection.


With a reliable carbon ceramic mechanical seal and top-notch bearings sourced from TPI-Taiwan, this pump ensures reliable operation. The 50mm fitting unions make installation quick and hassle-free. The built-in overload thermal protector, made in the USA, enhances safety. Meeting IP55 water ingress standards, this pump is designed to withstand demanding conditions. Operating at a single phase of 240V/50Hz, it performs optimally in water temperatures below 40°C and ambient temperatures below 50°C.

Complying with AS/NZS60335.1 & AS/NZS60335.2.41 standards, this pump guarantees quality and reliability.

Comprehensive warranty

1-year domestic warranty, (including a 6-month Mechanical Seal warranty and commercial warranty).
See terms and conditions for further information.

PERFORMANCE CURVE



TECHNICAL PARAMETERS

model code	max Head (m)	max Lpm	input kW	output kW	output HP	amps	size LxWxH	weight (kg)
BBSF02	7.5	150	0.25	0.19	0.25	1.6	317x153x191	5.1
BBSF03	10.0	180.0	0.37	0.26	0.35	2.0	317x153x191	5.9
BBSF05	12.0	250.0	0.55	0.37	0.50	3.2	347x156x205	7.9
BBSF10	13.0	335.0	0.9	0.75	1.0	4.6	347x156x205	9.1



SPA POOL CIRCULATION PUMP 250-WATT

**PRODUCT
CODE
BBWTC50M**

PRODUCT OVERVIEW

Our versatile spa circulation pump is designed for both Hydro Massage Tubs or Spa Systems and swimming pool circulation or filtration. With a P1 input of 0.25 KW / 1/3hp and a P2 output of 0.25hp, it delivers efficient performance. The pump comes with 2 x 48.5 union fittings for easy installation. It includes a 3mtr flex with an Amphenol plug, ensuring convenience.

This pump is engineered to handle a wide range of applications and provides reliable performance in various working conditions.


Operating Conditions:

- Medium Temperature: 5-50°C
- Environmental Temperature: ≤50°C
- Maximum Working Pressure: 0.3MPa

Comprehensive warranty

1-year domestic warranty, (including a 6-month Mechanical Seal warranty and commercial warranty).
See terms and conditions for further information.

PERFORMANCE CURVE



TECHNICAL PARAMETERS

V/Hz	Speed (rpm)	Power (kW/HP)	Amps	Qmax (L/min)	Hmax (m)	size LxWxH	weight (kg)
230/50	1400.0	.25/0.35	1.00	240	3.8	320x180x210	6

LX SPA AIR BLOWERS



BBAPR400-V2

- 400 watt
- 40mm union 1.5m flex and Amphenol plug without heater



BBAPR900-V2

- 900 watt
- 40mm union 1.5m flex and Amphenol plug without heater



BBAPR700-V2

- 700 watt
- 40mm union 1.5m flex and Amphenol plug without heater

Comprehensive warranty

1-year product warranty.

See terms and conditions for further information.

SAND FILTERS & COMBO KITS





AQUAFINZ GLOSS FIBREGLASS SAND FILTER

AVAILABLE IN

*DIAMETER
O/D*

*PRODUCT
CODE*

550

BBSF550KIT

650

BBSF650KIT

650

BBSF650SKIT (Side Mount MPV)


750

BBSF750KIT

PRODUCT OVERVIEW

Our new Aquafinz Sand Filter with laminated fiberglass top mount filter is durable, corrosion-resistant and features a glossy finish in gel coat for a smooth and beautiful exterior. This collection of sand filters is the perfect choice for high-end villas and hotel pools, high-class spas and wellness pools, baths and fish ponds.

- Non corrosive gel coat fiberglass tank, smooth gloss finish.
- Equipped with a 1.5" or 2.0" six-position multiport valve.
- Universal standard of union connection provided.
- Max. working pressure 36 psi/2.5 bar.
- Max. temperature of 43°C(109°F)
- Suggested size of media: 0.5-0.8mm.



Comprehensive warranty

10-year product warranty (excludes consumables).
See terms and conditions for further information.

TECHNICAL PARAMETERS

Model	Max flow rate		Filter area m ²	Port size		Sand kg	Dimension(mm)					
	lpm	m ³ /h		inch	mm		A	B	C	D	E	F
Multiport valve W 1.5												
L550	167	10.00	0.20	1.5"	50	88	886	750	690	390	530	286
L650	275	16.50	0.33	1.5"	50	158	1000	850	790	500	640	318
Multiport valve W 2.0												
L750	366	22.00	0.44	2"	63	260	1170	1005	920	710	750	390



BLUEY FIBREGLASS SAND FILTER KITS AVAILABLE IN

DIAMETER O/D	PRODUCT CODE
525	BBSF500
625	BBSF600
700	BBSF700

PRODUCT OVERVIEW

Removing unwanted additions to your pool is critical to pool health. You need a filter that can not only retain this washout from filtration but handle the high pressure action of a good pump. Bluey filters are solid wound fibreglass. They are UV & chemical resistant and handle up to 36psi.2.5bar.

Every Bluey comes standard with a 6 position Multi port valve with sight glass and SS pressure gauge. Ideal for use on any sort of pool regardless of whether fresh or salt water.

Comprehensive warranty

5-years on parts. Excludes spider valve seal.
See terms and conditions for further information.

TECHNICAL PARAMETERS

Code	Description	Suits pools up to (ltr)	Valve (mm)	Max Flow (l/pm)	Filter Area (m ³)	Height	Diameter (O/D)	Pool Sand (kg)
BBSF500	Bad Boy Fibreglass Sand Filter 525	56,000	40	190	0.22	880	525	85
BBSF600	Bad Boy Fibreglass Sand Filter 625	81,000	40	270	0.3	1005	625	150
BBSF700	Bad Boy Fibreglass Sand Filter 700	110,000	50	350	0.4	1150	700	200



WE SELL SPARE PARTS!

Space Industries offers spare parts for certain products and models. Feel free to contact us on **(09) 262 3902** or email us on **reception@spaceindustries.co.nz**.



POOL PUMP AND FILTER COMBO AVAILABLE IN

MM	WATTS	PRODUCT CODE
300	250	BBPFCOMBO
400	370	BBPFCOMBOL

PRODUCT OVERVIEW

SAA CERTIFIED Includes Easy read instructions & diagrams, Filter, Plinth base Pump Jointing hose, Modular fittings to suit most pool brands.

BBPFCOMBO requires: 19kg of pool sand, for above ground pools up to 25,000L
BBPFCOMBOL requires: 30kg of pool sand, for above ground pools up to 40,000L



POOL PUMP AND FILTER COMBO 10KG/90W

PRODUCT CODE
PSP90W

PRODUCT OVERVIEW

All in one simple ready-to-go option for small pools. This filter and pump combo will suit all above ground pools up to 27000L. Water Flow: 3000L/HP: 90 watt/Voltage: AC220-240v/Pools with 32MM fittings Fittings: Comes with fitting hoses and clamps to fit your 32mm drain points Measurements: 37 X 32.5 X 58 Requires 10KG of sand.

Comprehensive warranty

12-month warranty.

See terms and conditions for further information.

ABOVE GROUND POOL PUMP 60W

PRODUCT CODE
PSP60W

PRODUCT OVERVIEW

Perfect for above ground pools and fits most brands of soft sided pools up to 20,000 L. 56L min flow rate is much stronger than conventional models. Comes with Cartridge filter with 50% more filter area than conventional models. Comes with replacement hoses and hose clamps.

Comprehensive warranty

12-month warranty.

See terms and conditions for further information.





POOL & SPA VACUUM CLEANERS





**KOKIDO BOREAL EV01
SPA VACUUM**
PRODUCT CODE: EV01CBX/SPA/AU
PRODUCT OVERVIEW

Ctn Qty: 4

- For spa pools 1.5m Maximum
- Operating Depth
- Cleans Spa Floor
- 30 Mins Of Battery Life
- 4-5 Hours Charging Time
- 0.1L Debris Capacity

Comprehensive warranty

12-month product warranty, excludes consumables.
See terms and conditions for further information.



**KOKIDO TELSA EV05
SPA VACUUM**
PRODUCT CODE: EVO5CBX/EU
PRODUCT OVERVIEW

Ctn Qty: 4

- For small pools
- 3m Maximum Operating Depth
- Cleans Pool Floors and Waterline
- 30 Mins Of Battery Life
- 4-5 Hours Charging Time
- 0.42L Debris Capacity

Comprehensive warranty

12-month product warranty, excludes consumables.
See terms and conditions for further information.



**KOKIDO TELSA EV30 POOL
VACUUM**
PRODUCT CODE: EV30CBX/AU
PRODUCT OVERVIEW

Ctn Qty: 2

- For Medium-Sized Pools Up To 15 m³
- 3m Maximum Operating Depth
- Cleans Pool Floor And Walls
- 30 Mins Of Battery Life
- 5-6 Hours Charging Time
- 0.9L Dirt Collector Capacity

Comprehensive warranty

12-month product warranty, excludes consumables.
See terms and conditions for further information.



Comprehensive warranty

12-month product warranty, excludes consumables.
See terms and conditions for further information.

KOKIDO VOLTERA 75 CORDLESS RECHARGEABLE POOL/SPA VACUUM


PRODUCT CODE: EV75CBX/AU

PRODUCT OVERVIEW

Ctn Qty: 1

- For Large Pools Up To 35 m³
- 3m Maximum Operating Depth
- Versatile On All Types Of Pools
- 75 Mins Of Battery Life
- 5-6 Hours Charging Time
- 3L Dirt Collector Capacity

Replacement filter cartridge twin pack available for purchase (EV75CBX/FILTERSX2)



Comprehensive warranty

12-month product warranty, excludes consumables.
See terms and conditions for further information.

KOKIDO VOLTERA 105 POWERFUL LARGE VOLUME RECHARGEABLE POOL VACUUM

PRODUCT CODE: EV105CBX/24/AU

PRODUCT OVERVIEW

Ctn Qty: 2

- For Large Pools Up To 35 m³
- 3m Maximum Operating Depth
- Flexible extensions facilitate cleaning over curved pool surfaces
- 75 Mins Of Battery Life
- 5-6 Hours Charging Time
- Extra wide body for large amounts of leaves
- 3L Dirt Collector Capacity




KOKIDO TELSA EV40 POWERBLADE

PRODUCT CODE: EV40CBX/AU

PRODUCT OVERVIEW

Ctn Qty: 2

- For Large Pools Up To 25 m³
- 3m Maximum Operating Depth
- Perfect For Cleaning Leaves And Dirt In Pool
- 75 Mins Of Battery Life
- 5-6 Hours Charging Time
- 6.5L Dirt Collector Capacity

A photograph of a swimming pool with various pool maintenance tools in the foreground. The tools include a blue and white vacuum head, a blue and white brush, a blue and white skimmer, and a blue and white pump. A blue and white hose is also visible. The pool is surrounded by a concrete deck and a white fence. The sun is shining brightly in the background, creating a warm, golden glow.

CONSUMABLES



POOL & SPA EQUIPMENT
CONSUMABLES



**STANLEY DLX 18" FLEXIBLE
POOL BRUSH 45 CM**
ST20876

Ctn Qty: 4

Heavy duty, long lasting nylon bristles. Extra-wide body. Flexible curve design for superior functionality. Die-cast aluminium handle.



STANLEY DLX VINYL VAC

ST27812

Ctn Qty: 6

The Stanley Pooltec DLX Liner Vac Head is a heavy and solidly constructed vac head suited to most above ground pools. Uses standard telescopic pole fittings.



**STANLEY DLX ALUMINIUM
LEAF RAKE**

ST21177

Ctn Qty: 6

Aluminium inner frame with black polymer mark-resistant rim. Durable pocket screening made of close-mesh netting. Works with any 32mm diameter pole.



**STANLEY DLX ALUMINIUM
LEAF SKIMMER**

ST21180

Ctn Qty: 6

For removing surface leaves and debris from pool or spa. Durable pocket screening made of close-mesh netting. Mark-resistant polymer rim. Works with any standard 1¼ in (32mm) diameter pole.



STANLEY POOL DISPENSER

ST32855

Ctn Qty: 12

Provides consistent protection with continual amounts of chlorine. Automatic release eliminates day-to-day maintenance. Adjustable chlorinating ring. Holds up to 3 in (76mm) tablets or sticks.



STANLEY SPA DISPENSER

ST32857

Ctn Qty: 12

Provides consistent protection with continual amounts of sanitiser. Automatic release eliminates day-to-day maintenance. Adjustable chlorinating ring. Holds 1 in (25mm) pills.

POOL & SPA EQUIPMENT
CONSUMABLES



**STANLEY DLX
THERMOMETER**
ST25800

Ctn Qty: 12

Floating thermometer accurately measures water temperature. Removable snap-on float and polyethylene cord allows for use as a floating or submersible thermometer. Easy to read dual temperature scales. Shatter resistant lens.



STANLEY FLEX VACUUM
ST27809

Ctn Qty: 6

For removing debris from pools with hard-surface finish. The flexible body handles corners and other curves on the floor of the pool or spa. Works with any standard 32 mm diameter pole.



**VACUUM BRUSH FOR
VINYL POOLS**
VAB

Ctn Qty: 6

Ideal for deep pool cleaning. Fits all standard pool poles. Fits 38mm or 32mm hose types



STANLEY TELESCOPIC POLES

- 3.6M ST21813
- 4.9M ST21817

Ctn Qty: 4

Swimming Pool Telescopic Pole available in 3.6M or 4.9M. 32mm diameter to fit all NZ style pool equipment.



TELESCOPIC POLES

- POL927 (2 X 240 CM)
- POL120 (2 X 120 CM)
- POL3 (3 X 1.1M)
- POL180 (2 X 180 CM)

Standard telescopic pole to fit all NZ style pool equipment.

POOL & SPA EQUIPMENT
CONSUMABLES



**FLOATING DISPENSER
SMALL 20G
FDS**

Ctn Qty: 12

Expandable and adjustable. Takes 20g pills and holds up to 8 pills.



**FLOATING DISPENSER
LARGE 200G
FDL**

Ctn Qty: 6

Expandable and adjustable. Takes 200g tablets and holds up to 5 tablets.



**BOREAL FLOATING SPA
DISPENSER
K676BU/SPA**

Ctn Qty: 6

Floating spa dispenser for 38 mm / 1½ inch tablets. Holds up to 8 tablets.



**SEGMENTED HOSE
32 MM X 3M
PSHOSE3**

Ctn Qty: 12

Segmented 32mm x 3m hose to replace above ground pool hoses. Can be cut at 1m intervals.



**HEAVY DUTY POOL HOSE
38 MM X 11 M
HOS3811 HD**

Ctn Qty: 4

This pool vacuum hose fits all the standard vacuum heads
Size: 11m x 38mm, Robust construction. Durable plastic spiral construction. Comes with 2 end cuffs.



**POOL HOSE
38 MM X 12 M
HOS3812 BLAC**

Ctn Qty: 2

Heavy duty, crush resistant pool hose. UV and chemical resistant ensuring the hose is durable and built to last. Comes with swivel cuffs providing flexibility and kink-free operation. 12m x 38mm.

POOL & SPA EQUIPMENT
CONSUMABLES



**BOREAL SPA POOL KIT
3 PC
PK17CS/SPA**

Ctn Qty: 8

Includes 3-pc Pole, skimmer net 23cm x 20cm, brush 13cm W. Includes removable Handle EZ-grip.



**BOREAL SPA POOL KIT
7 PC
PK20CBX/SPA**

Ctn Qty: 4

The kit includes a brush, a skimmer net, a scrubbing glove, a 3-section aluminum handle, two absorbent sponges, a floating thermometer, and a chemical dispenser.



**WISHBONE FOR
TELESCOPIC POLES
POW**

Ctn Qty: 1

Wishbone Clips are hose attachments for telescopic handles that help lock the handle in place to achieve the right height and length for your needs. Fits most standard poles.



**LEAF SCOOP
LEAS**

Ctn Qty: 6

Lightweight streamlined design effortlessly skims leaves and debris floating on water's surface.



**WIDE MOUTH SKIMMER
BASKET
SKB**

Ctn Qty: 1

Skimmer basket replacement, fits Vogue Pools.



**LEAF RAKE
LEAR**

Ctn Qty: 12

Scoops out small debris and floating garbage from your swimming pool, pond, hot tub, fountain or large fish tank. Its fine mesh bag is deep and retains the debris while letting the water go.

POOL & SPA EQUIPMENT
CONSUMABLES



**JET VAC KIT WITH 5 X
SECTION POLE 120 CM**
K189CS/B

Ctn Qty: 6

Simply attach your garden hose to the vacuum head which will create a vacuum effect and pick up the debris on the pool floor whilst moving it backwards and forwards. The Jet Vac includes a 5 section pole and debris bag.



KOKIDO 6 PC POOL KIT
K485CS/3W

Ctn Qty: 6

includes a brush, a rake, a jet vac, a floating dispenser, a pack of multi-pills to remove debris and a thermometer to check the temperature. This kit makes a great essential for your new pool.



SOLARIS AG COVER REEL
K651CBX

Ctn Qty: 1

Complete set includes reel, mounting hardware, 7-piece hexagonal tube set, and strap kit. Suitable for above ground pools up to 18' wide.



**KOKIDO STEP N WASH
POOL FOOT BATH**
K672BU

Ctn Qty: 12

Helps prevent grass and dirt from being carried into the pool and therefore may reduce chemical consumption and frequency of cleaning.



**ROUND TUBULAR
THERMOMETER**
THF

Ctn Qty: 12

Measures in Celsius and Fahrenheit, includes cord 190mm long.



**LUV-A-DUCK SERIES
THERMOMETER**
TM08CB

Ctn Qty: 12

Original and playful pattern, measures pool temperature. Securing cord with hook to hold on stairs & suction cup to hold on pool wall.



POOL AND SPA CHEMICALS

BALANCE CHEMICALS



Water balance is a crucial aspect in pool maintenance. Maintaining a healthy pH balance ensures that your sanitising chemicals are working efficiently, decreases the probability of problems such as algae growth and prolongs your pool and pool equipment.





pH BUFFER

pH Buffer (Sodium Bicarbonate) has the ability to resist changes in the pH levels of water and buffers the water from wild pH swings. It will raise the total alkalinity in swimming pools and spa pools.

SIZES	CODE	CARTON QTY
1kg	CPHB01	12
2kg	CPHB02	6
4kg	CPHB04	4
10kg	CPHB10	2
25kg	PHB25	N/A



pH INCREASE

pH Increase (Soda Ash) is used to raise pH levels in swimming pools and spa pools. Neutral water has a pH of 7.0. A pH reading below 7.0 indicates the water is acidic and a reading above 7.0 indicates the water is alkaline.

SIZES	CODE	CARTON QTY
1kg	CPHI01	12
2kg	CPHI02	6
4.5kg	CPHI04.5	4
25kg	PHI25	N/A



pH DECREASE

pH Decrease (Sodium Bisulphate) is used to lower pH levels in swimming pools and spa pools. Neutral water has a pH of 7.0. A pH reading below 7.0 indicates the water is acidic and a reading above 7.0 indicates the water is alkaline.

SIZES	CODE	CARTON QTY
1kg	CPHD01	12
2kg	CPHD02	6
4.5kg	CPHD04.5	4
10kg	CPHD10	N/A
25kg	PHD25	N/A



HYDROCHLORIC ACID

Hydrochloric Acid (25% concentration) can be used to reduce the pH and/or total alkalinity of a pool.

SIZES	CODE	CARTON QTY
5L	CHYA0525	4
20L RF*	CHYA2025	N/A
20L NF*	CHYA20X25IMP	N/A

*20L CHYA2025 has a refundable deposit.

*20L CHYA20X25IMP is non refundable.



CHLOR SAVE

Chlor Save (Cyanuric Acid) is a stabiliser used to slow down the rate at which free chlorine is destroyed by sunlight.

SIZES	CODE	CARTON QTY
1.0kg	CCHST01 (Tablets 200gm x 5)	6
1.5kg	CCHS01.5	4
3kg	CCHS03	N/A
10kg	CCHS10	N/A
25kg	CHS25	N/A



CALCIUM HARDENER

Calcium Hardener (Calcium Chloride) is used to balance the total water hardness of your pool water, ensuring that calcium and magnesium levels are optimal.

SIZES	CODE	CARTON QTY
750g	CCAH0.75	12
1.5kg	CCAH01.5	6
3kg	CCAH03	4
10kg	CCAH10	2
25kg	CAH25	N/A

ALGAEICIDE CHEMICALS



Having an effective algaecide is one of the most important tools in the pool maintenance arsenal. They are designed to kill algae, which can grow in your pool if you don't take care of it. There are many dangers of not treating algaecide, including skin issues and bacterial infections.





CLEAN THE GREEN

Clean The Green helps in the removal and prevention of green black mustard blue-green and other swimming pool algae. Can also be used on hard surfaces such as paths paving asphalt driveways and timber.

SIZES	CODE	CARTON QTY
1L	CLG01	6



POOL KLEER

Pool Kleer is a copper and quaternary complex algaecide and sanitiser for swimming pools. Helps to keep pool water clear and free of visible algae.

SIZES	CODE	CARTON QTY
2L	CPKA02	6
5L	CPKA05	4
20L	CPKA20	N/A



POOL WINTERISER

Pool Winteriser is a long-lasting winter solution for swimming pools that provides an effective barrier against algae growth through pool hibernation that lasts up to 5 months.

SIZES	CODE	CARTON QTY
2L	CWIN02	6



SALTE ALGAECIDE

Salte Algaecide is a non-copper formulation making it ideal for pools with salt cell chlorine generators. An independently strong formulation with a control period up to 2 months.

SIZES	CODE	CARTON QTY
1L	CSAA01	6
2L	CSAA02	6
20L	CSAA20	6



SUPER ALGAECIDE

Super Algaecide is a non-copper algaecide used for pools containing heavy black algae growth.

SIZES	CODE	CARTON QTY
1L	SUA01	6
5L	SUA05	4



COMMERCIAL ALGAECIDE

Strong algaecide used in high-maintenance pools with higher bather load. Suitable for chlorine or salt pools. Does not contain copper.

SIZES	CODE	CARTON QTY
20L	Q5020CA	N/A

SANITISER CHEMICALS



Pool and spa sanitisers are used to kill and eliminate any harmful bacteria in your water, keeping sanitation levels safe and your pool or spa ready to use whenever you please.





LIQUA CHLOR

Liquid Chlorine (Sodium Hypochlorite >15%) is effective against most bacteria algae and other micro-organisms and is excellent for maintaining a free chlorine residual in pool water.

SIZES	CODE	CARTON QTY
5L	CLCH05	4
10L	CLCH10	N/A
20L	CLCH20	N/A
100L	CLCH100	N/A
200L	LCS200	N/A



CHLORINE GRANULES

Chlorine Granules (Calcium Hypochlorite 70% Concentration) is an ideal water sanitiser for both shock and maintenance dose summer and winter use.

SIZES	CODE	CARTON QTY
4kg	CPCG04	4
10kg	CPCG10	N/A
25kg	CPCG25	N/A
40kg	CWCG40	N/A



DICHLOR GRANULES

Dichlor Granules is 100% soluble, fast-dissolving stabilised chlorine granules for the control of algae and bacteria in swimming pools.

SIZES	CODE	CARTON QTY
5kg	CDIC05	N/A
10kg	CDIC10	N/A
25kg	CDIC25	N/A



TRICHLOR TABLETS

Trichlor Tablets are slow-dissolving tablets that provide a source of chlorine to sanitise your pool water. They are stabilised to protect chlorine from UV degradation.

SIZES	CODE	CARTON QTY
1kg	CTRI01	6
2kg	CTRI02	6
4kg	CTRI04	4
10kg	CTRI10	1
20kg	CTRI20	N/A
40kg	CTRI40	N/A



TRICHLOR PILLS

Trichlor Pills (20G) automatically chlorinate the water without the need for daily dosing. They are less susceptible to degradation by sunlight. Ideal for small splasher & Intex type pools.

SIZES	CODE	CARTON QTY
10kg	CTRP10	1
20kg	CTRP20	1



MULTI TABLETS

Crystal Water Multi Tablets (200G) is a slow-dissolving, 4-way-action sanitiser: Chlorine (sanitiser), Cyanuric (stabiliser), Flocc (drops suspended particles), Algacide (inhibits algae growth).

SIZES	CODE	CARTON QTY
1kg	CMUT01	6
2kg	CMUT02	6
4kg	CMUT04	4
40kg	MUT40	N/A

POOL & SPA CHEMICALS
SANITISER CHEMICALS



MULTI PILLS

Crystal Water Multi Pills are a slow-dissolving, 4-way-action sanitiser: Chlorine (sanitiser), Cyanuric (stabiliser), Floc (drops suspended particles), Algaecide (inhibits algae growth). 1 container contains 50 pills.

SIZES	CODE	CARTON QTY
1kg	CMUP01	6



INSTA CHLOR

Insta Chlor is a 100% soluble, fast-dissolving stabilised chlorine for the control of algae and bacteria in swimming pools. Comes in a resealable bag.

SIZES	CODE	CARTON QTY
600g	CIN0.6	10



REFRESH

Crystal Water Refresh is a quick pick-me-up fast action chlorine solution to boost water clarity and cleanliness. Simply pour and swim as the pool will be good to go after 60 minutes.

SIZES	CODE	CARTON QTY
400g	CWREF0.4	15



BROMINE TABLETS

Bromine Tablets (20G) are effective as a spa and hot tub water sanitiser. They have been designed to keep spa and hot tub water sparkling clean by continuous treatment through a feeder (brominator) or the skimmer.

SIZES	CODE	CARTON QTY
1kg	CBRT01	6
2kg	CBRT02	6
20kg	CBRT20	N/A



SPA CHLOR

Spa Chlor is an effective and convenient sanitiser to prevent growth of bacteria and algae in your spa pool.

SIZES	CODE	CARTON QTY
1kg	CSPC01	6
2kg	CSPC02	6



SPA SHOC SHOT

Spa Shoc Shot automatically chlorinates the water without the need for daily dosing. Ideal for small tablet dispensers for spa pools.

SIZES	CODE	CARTON QTY
1KG	CPSP01	6



SPA BRILLIANCE

Used as a regular or shock treatment in spas and hot tubs. Contains buffering agents that assists in stabilising water pH levels, Sodium Tetraborate for water softness and floc to clarify water.

SIZES

1L

CODE

CSPSG01

CARTON QTY

6



SPECIALTY PRODUCTS



Specialty products are the icing on the cake when it comes to pool & spa care. This range includes shocks, water enhancers, clarifiers and additives that enhance the quality of your pool and spa water and create a better swimming experience.



POOL & SPA CHEMICALS
SPECIALTY PRODUCTS



O2 SHOCK

O2 Shock is a non-chlorine shock treatment especially formulated for spas and pools. It will remove odours and oxidise organic contaminants with an effervescent water clearing (works in partnership with Crystal Water H2OK).

SIZES	CODE	CARTON QTY
1kg	CO2S01	6



H2OK

H2OK is a non-chlorine treatment for spas and pools that is best when working in conjunction with Crystal Water O2 Shock.

SIZES	CODE	CARTON QTY
1L	CH2O01	6
5L	CH2O05	4



PURE ENZYMES FOR SPAS

Water's Choice Pure Enzymes for Spas is a natural enzyme sanitiser that can be used as a natural additive to reduce the use of chemical-based sanitisers.

SIZES	CODE	CARTON QTY
354ml	SPENZWC12	12



ANTI CHLOR

Anti Chlor (Sodium Thiosulphate) is a chlorine neutraliser that lowers chlorine and bromine levels in pools and spas.

SIZES

5kg
25kg

CODE

ANC05
ANC25

CARTON QTY

4
1



STARVER

Starver removes phosphate from the water.

SIZES

1L
5L

CODE

CSTARVER01
CSTARVER05

CARTON QTY

6
4



SINGLE SHOT POOL CLARIFIER

Single Shot Clarifier removes fine particles that cannot be caught by filtration alone and clarifies dull water. Just pop them in your skimmer basket and away you go!

SIZES

125kg

CODE

CWSKT125

CARTON QTY

20



LIQUA FLOC

Liqua Flocc is a concentrated flocculent that clears the cloudiest pools by dropping coagulated debris to pool floor for easy vacuuming.

SIZES	CODE	CARTON QTY
1L	LIF01	6
5L	LIF05	4



ALUM FLOC

Alum Flocc (Aluminium Sulphate) is used to clear cloudy or discoloured water containing iron or dirt particles in suspension.

SIZES	CODE	CARTON QTY
2kg	CFLA02	6
5kg	CFLA05	4
25kg	FLA25	1



CRYSTAL CLEAR

Crystal Clear is a non-toxic, non-irritating solution that removes finely suspended particles that the filter cannot normally clean which causes cloudy and murky water.

SIZES	CODE	CARTON QTY
1L	CCRC01	6
5L	CCRC05	4

POOL & SPA CHEMICALS
SPECIALTY PRODUCTS



NO FOAM

Used to combat any foaming problems in spa pools

SIZES

1L

CODE

NOF01

CARTON QTY

6



FILTER CLEANER

Pool and Spa Filter Cleaner is a concentrated cleaner to remove dirt, oil, body fat, grease and film from all types of filters.

SIZES

1L

5L

CODE

PSF01

PSF05

CARTON QTY

6

4



SALTE CELL CLEANER

Cleans scale build up in salt water pool cells. Can also be used to clean concrete and tile pool surface.

SIZES

1L

CODE

SCC01

CARTON QTY

6

POOL & SPA CHEMICALS
SPECIALTY PRODUCTS



STAIN & SCALE CONTROL

Stain And Scale Control reduces the formulation of stain and scale in pools.

SIZES	CODE	CARTON QTY
1L	SSC01	6
5L	SSC05	4



PIPE CLEANER

Removes oils, grease and other contaminants from pipe systems and cartridges in spas.

SIZES	CODE	CARTON QTY
500ml	PPC0.5	6



SPA & POOL FILTER CLEANER: READY TO USE

Ready to use formulation in a trigger pack. Loosens and breaks down debris.

- Extends the life of cartridge filter
- Improves filter efficiency
- Pool water is cleaner, clearer, safer, requiring less sanitation
- Assists stabilising pH
- Saves time and money

SIZES	CODE	CARTON QTY
500ml	PSFRTU	6



POOL & SPA STAIN & SCALE REMOVER: READY TO USE

Ready to use formulation in a trigger pack. Dissolves unsightly build-up around waterline, pathways and equipment.

- Removes buildup of pathogens, algae and mould
- Makes water safer for swimming
- Easier to maintain
- Save time and money

SIZES	CODE	CARTON QTY
500ml	SSCRTU	6

POOL & SPA EQUIPMENT
WATER'S CHOICE SALTS



WE SELL MINERAL SALTS TO ENHANCE YOUR SWIMMING EXPERIENCE!

Space Industries Crystal Water is now offering mineral salts in 5kg tubs. Feel free to contact your account manager or call us on **(09) 262 3902**. Alternatively, you can email us on reception@spaceindustries.co.nz.



WATER'S CHOICE AROMATHERAPY SPA SALTS

Therapeutic mineral salts to add in your spa pool and enhance your spa experience! SPENZWCAS MIX2 comes with a mix of 6 different fragrances (Exotic Nights, Happy, Refresh, Summer Breeze, Tranquility & Wellness). (570 gm tub).

SCENTS
MIX2

CODE
SPENZWCASEMIX2

CARTON QTY
6



WATER'S CHOICE SPA SALTS SAMPLE PACK SPENZWCSPASALTS

Ctn Qty: 12

Can't decide on one scent? Try all 5 scents in one pack!



WATER TESTING



WATER TESTING



**MADE EASY WITH
OUR CRYSTAL WATER ONLINE
TOOL & AQUACHEK ©
TEST STRIPS.**



STEP 1:


Specialty products are the icing on the cake when it comes to pool & spa care. This range includes water enhancers, clarifiers and additives that enhance the quality of your pool and spa water and create a better swimming experience.

STEP 2:

Specialty products are the icing on the cake when it comes to pool & spa care. This range includes water enhancers, clarifiers and additives that enhance the quality of your pool and spa water and create a better swimming experience.

STEP 3:

Specialty products are the icing on the cake when it comes to pool & spa care. This range includes water enhancers, clarifiers and additives that enhance the quality of your pool and spa water and create a better swimming experience.



POOL & SPA EQUIPMENT
WATER TESTING



AQUACHEK GOLD **SKU: AQG**

Tests for Total Chlorine, Bromine, Free Chlorine, pH, Total Alkalinity, Total Hardness, Cyanuric Acid and pH.
50 TEST STRIPS.

CTN QTY: 6

AQUACHEK GOLD **SKU: AQGR**
REFILL KIT

Refill kit for the AquaChek Gold test strips. **50 TEST STRIPS.**

CTN QTY: 6

AQUACHEK SILVER **SKU: AQS**

Tests for Total Chlorine, Free Chlorine, Total Bromine, Total Alkalinity, Total Hardness, Cyanuric Acid and pH.
100 TEST STRIPS.

CTN QTY: 6



AQUACHEK YELLOW **SKU: AQY12**

Tests for Total Chlorine, Total Alkalinity and pH.
50 TEST STRIPS.

CTN QTY: 12

AQUACHEK SPA **SKU: AQSPA**

Tests for Total Chlorine, Free Chlorine, Total Bromine, Total Alkalinity, Total Hardness and pH. **50 TEST STRIPS.**

CTN QTY: 12

AQUACHEK SALT **SKU: AQW**

Tests for Sodium Chloride levels.
10 TEST STRIPS.

CTN QTY: 10



160 Plunket Ave, Wiri, Auckland
(09) 262 3902
www.spaceindustries.co.nz
reception@spaceindustries.co.nz
v924.3